

ISSUED BY
PeakTrace

SAMPLE ID
PT-S-2026-0009

DECLARED QUANTITY
5mg

TEST DATE
10-9-2026

PERFORMING LABORATORY
PeakTrace

DECLARED COMPOUND
CJC-1295 With DAC

BATCH / LOT
-

ISSUE DATE
2026-10-13

Declared values are supplied by the customer and are recorded separately from measured results.

PRODUCT PHOTOGRAPH



The vial as received. A photograph records what arrived; it does not establish that the pictured container holds the material analysed.

ANALYTICAL RESULTS

Parameter	Specification	Result	Assessment
CJC-1295 With DAC	5mg	5.01 mg	Not assessed
Purity	Minimum 99%	99.72%	Within specification

OVERALL

All reported parameters are within the stated specification. This applies to the sample analysed and to the scope described above only.



VERIFY THIS REPORT

Scan the code, or look up PT-COA-2026-0013 at www.peaktrace.ca/verify. The code opens this record directly, so treat a printed copy as you would the report itself.

Client: Elysium Bio Labs

Findings apply to the vial analysed and not to any other unit.

A purity percentage is a proportion of the material analysed. It does not establish sterility or suitability for use.

Findings apply to the sample analysed. This document does not establish that other units are identical, nor that the material is sterile, effective or safe to use.

AUTHORISED BY

Warden Zhao

Peak Trace / PeakTrace / PT-COA-2026-0013

Signed for PeakTrace. The signature attests to the release of this document; the version hash above is what fixes its contents.